organic compounds

2-[(2-Azaniumylethyl)carbamoyl]-phenolate–phenol (1/1)

Sihem Yebedri,[a] Samira Louhibi,[a] Sofiane Bouacida,[b]* Ali Ourari[c] and Thierry Roisnel[d]

[a]Laboratoire de Chimie Inorganiue et d'Environment, Université def Tlemcen, BP 119, Tlemcen 13 000, Algeria, [b]Unité de Recherche de Cimie de l'Environnement et Moléculaire Structurale, CHEMS, Université Mentouri-Constantine, 25000 , Algeria, [c]Laboratoire d'Electrochimie, d'Ingénierie Moléculaire et de Catalyse Redox (LEIMCR), Faculté des Sciences de l'Ingénieur, Université Farhat Abbas, Sétif 19000, Algeria, and [d]Centre de Difractométrie X, UMR 6226 CNRS Unité Sciences Chimiques de Rennes, Université de Rennes I, 263 Avenue du Général Leclerc, 35042 Rennes, France

Correspondence e-mail: bouacida_sofiane@yahoo.fr

In the title 1:1 adduct, $C_9H_{12}N_2O_2 \cdot C_6H_6O$, the dihedral angle between the benzene ring and the salicylic amide group is 6.68 (6)°. The conformation of the amide group is supported by two intramolecular N—H···O hydrogen bonds, which close $S(6)$ and $S(7)$ rings. In the crystal, the components are linked by O—H···O and N—H···O hydrogen bonds, generating (100) sheets.

Related literature

For background to salicylic amides as ligands, see: Koch (2001); Hancock & Martell (1989).

Experimental

Crystal data

$C_9H_{12}N_2O_2 \cdot C_6H_6O$

$M_r = 274.31$

Monoclinic, $P2_1/c$
$a = 12.6494$ (4) Å
$b = 13.2145$ (6) Å
$c = 8.5445$ (4) Å
$\beta = 100.637$ (2)°
$V = 1403.72$ (10) Å^3

$Z = 4$
Mo $K\alpha$ radiation
$\mu = 0.09$ mm^{-1}
$T = 150$ K
$0.58 \times 0.52 \times 0.38$ mm

Data collection

Bruker APEXII CCD diffractometer
Absorption correction: multi-scan (SADABS; Bruker, 2011)
$T_{min} = 0.860$, $T_{max} = 0.966$

12244 measured reflections
3208 independent reflections
2649 reflections with $I > 2\sigma(I)$
$R_{int} = 0.035$

Refinement

$R[F^2 > 2\sigma(F^2)] = 0.040$
$wR(F^2) = 0.102$
$S = 1.03$
3208 reflections

181 parameters
H-atom parameters constrained
$\Delta\rho_{max} = 0.27$ e Å^{-3}
$\Delta\rho_{min} = -0.21$ e Å^{-3}

Table 1
Hydrogen-bond geometry (Å, °).

D—H···A	D—H	H···A	D···A	D—H···A
O1—H1···O3^i	0.82	1.87	2.6696 (13)	166
N1—H1N···O2	0.86	1.93	2.6490 (13)	140
N2—H2A···O1	0.89	2.21	2.8995 (14)	134
N2—H2A···O3	0.89	2.56	3.0547 (15)	116
N2—H2B···O2^{ii}	0.89	1.93	2.7506 (13)	152
N2—H2C···O2^{iii}	0.89	1.81	2.6939 (13)	174

Symmetry codes: (i) $x, -y+\frac{1}{2}, z-\frac{1}{2}$; (ii) $-x+1, -y+1, -z$; (iii) $-x+1, y-\frac{1}{2}, -z+\frac{1}{2}$.

Data collection: APEX2 (Bruker, 2011); cell refinement: SAINT (Bruker, 2011); data reduction: SAINT; program(s) used to solve structure: SIR2002 (Burla et al., 2005); program(s) used to refine structure: SHELXL97 (Sheldrick, 2008); molecular graphics: ORTEP-3 for Windows (Farrugia, 2012) and DIAMOND (Brandenburg & Berndt, 2001); software used to prepare material for publication: SHELXL97.

References

Brandenburg, K. & Berndt, M. (2001). DIAMOND. Crystal Impact, Bonn, Germany.
Bruker (2011). APEX2, SAINT and SADABS. Bruker AXS Inc., Madison, Wisconsin, USA.
Burla, M. C., Caliandro, R., Camalli, M., Carrozzini, B., Cascarano, G. L., De Caro, L., Giacovazzo, C., Polidori, G. & Spagna, R. (2005). J. Appl. Cryst. 38, 381–388.
Farrugia, L. J. (2012). J. Appl. Cryst. 45, 849–854.
Hancock, R. D. & Martell, A. E. (1989). Chem. Rev. 89, 1875–1914.
Koch, K. R. (2001). Coord. Chem. Rev. 216, 473–488.
Sheldrick, G. M. (2008). Acta Cryst. A64, 112–122.

supplementary materials

2-[(2-Azaniumylethyl)carbamoyl]phenolate–phenol (1/1)

Sihem Yebedri, Samira Louhibi, Sofiane Bouacida, Ali Ourari and Thierry Roisnel

Comment

Salicylic amide with its diverse amidic forms namely ethylelenediamine or other amines were found to be as good chelating agents currently applied in coordination chemistry (Koch, 2001; Hancock *et al.*, 1989).

   The molecule structure of (I), is illustrated in Fig. 1. In the title structure the phenol molecule is cocrystalized with ethylenediamine Salicylic amide The crystal packing can be described by layers parallel to (100) planes (Fig. 2). It features intermolecular O—H···O and N—H···O hydrogen bonds (Fig. 2, Table 1). These interactions link the molecules within the layers and also link the layers together.

Experimental

0.06 g (1 mmol) ethylenediamine was dissolved in 20 ml of methanol. To this methanolic solution 0.214 g (1 mmol) of phenyl salicylate were added in one portion. This mixture was stirred for one hour at room temperature, and then 0.172 g (1 mmol) of 2-hydroxynaphtaldehyde were also added and heated to 60 °C for 4 h. The solid obtained was recovered by filtration after reducing of its volume on vaccum with rotating evaporator to obtain colourless prisms.

Refinement

The H atoms were localized on Fourier maps but introduced in calculated positions and treated as riding on their parent atom (C,*O* and N) with C—H = 0.97 Å (ethylene)or 0.93 Å (aromatic), O—H = 0.82 Å and N—H = 0.86 Å or 0.89 Å (ammonium); with $U_{iso}(H) = 1.2U_{eq}$(ammonium and hydroxy) and $U_{iso}(H) = 1.5U_{eq}$.

Computing details

Data collection: *APEX2* (Bruker, 2011); cell refinement: *SAINT* (Bruker, 2011); data reduction: *SAINT* (Bruker, 2011); program(s) used to solve structure: *SIR2002* (Burla *et al.*, 2005); program(s) used to refine structure: *SHELXL97* (Sheldrick, 2008); molecular graphics: *ORTEP-3 for Windows* (Farrugia, 2012) and *DIAMOND* (Brandenburg & Berndt, 2001); software used to prepare material for publication: *SHELXL97* (Sheldrick, 2008).

Figure 1

The asymmetric unit of (I) with displacement ellipsoids drawn at the 50% probability level.

Figure 2
Alternating layers of (I) viewed *via b* axis showing hydrogen bonds as dashed lines [O—H···O and N—H···O interactions].

2-[(2-Azaniumylethyl)carbamoyl]phenolate–phenol (1/1)

Crystal data

$C_9H_{12}N_2O_2 \cdot C_6H_6O$	$F(000) = 584$
$M_r = 274.31$	$D_x = 1.298$ Mg m^{-3}
Monoclinic, $P2_1/c$	Mo $K\alpha$ radiation, $\lambda = 0.71073$ Å
Hall symbol: -P 2ybc	Cell parameters from 4306 reflections
$a = 12.6494$ (4) Å	$\theta = 2.9–27.4°$
$b = 13.2145$ (6) Å	$\mu = 0.09$ mm^{-1}
$c = 8.5445$ (4) Å	$T = 150$ K
$\beta = 100.637$ (2)°	Prism, colorless
$V = 1403.72$ (10) Å^3	$0.58 \times 0.52 \times 0.38$ mm
$Z = 4$	

Data collection

Bruker APEXII CCD diffractometer	3208 independent reflections
	2649 reflections with $I > 2\sigma(I)$
Graphite monochromator	$R_{int} = 0.035$
CCD rotation images, thin slices scans	$\theta_{max} = 27.5°$, $\theta_{min} = 2.9°$
Absorption correction: multi-scan	$h = -16 \rightarrow 16$
(*SADABS*; Bruker, 2011)	$k = -12 \rightarrow 17$
$T_{min} = 0.860$, $T_{max} = 0.966$	$l = -11 \rightarrow 11$
12244 measured reflections	

Refinement

Refinement on F^2	Secondary atom site location: difference Fourier map
Least-squares matrix: full	
$R[F^2 > 2\sigma(F^2)] = 0.040$	Hydrogen site location: inferred from neighbouring sites
$wR(F^2) = 0.102$	
$S = 1.03$	H-atom parameters constrained
3208 reflections	$w = 1/[\sigma^2(F_o^2) + (0.0448P)^2 + 0.4498P]$ where $P = (F_o^2 + 2F_c^2)/3$
181 parameters	
0 restraints	$(\Delta/\sigma)_{max} < 0.001$
Primary atom site location: structure-invariant direct methods	$\Delta\rho_{max} = 0.27$ e Å^{-3}
	$\Delta\rho_{min} = -0.21$ e Å^{-3}

Special details

Geometry. All e.s.d.'s (except the e.s.d. in the dihedral angle between two l.s. planes) are estimated using the full covariance matrix. The cell e.s.d.'s are taken into account individually in the estimation of e.s.d.'s in distances, angles and torsion angles; correlations between e.s.d.'s in cell parameters are only used when they are defined by crystal symmetry. An approximate (isotropic) treatment of cell e.s.d.'s is used for estimating e.s.d.'s involving l.s. planes.

Refinement. Refinement of F^2 against ALL reflections. The weighted R-factor wR and goodness of fit S are based on F^2, conventional R-factors R are based on F, with F set to zero for negative F^2. The threshold expression of $F^2 > \sigma(F^2)$ is used only for calculating R-factors(gt) *etc*. and is not relevant to the choice of reflections for refinement. R-factors based on F^2 are statistically about twice as large as those based on F, and R- factors based on ALL data will be even larger.

Fractional atomic coordinates and isotropic or equivalent isotropic displacement parameters ($Å^2$)

	x	y	z	$U_{iso}*/U_{eq}$
O2	0.59307 (7)	0.65808 (6)	0.29145 (10)	0.0207 (2)
O3	0.56158 (7)	0.34524 (7)	0.37386 (11)	0.0260 (2)
N1	0.47865 (8)	0.48940 (8)	0.27880 (12)	0.0195 (2)
H1N	0.4845	0.5532	0.2627	0.023*
N2	0.43633 (8)	0.32203 (8)	0.03416 (11)	0.0186 (2)
H2A	0.5036	0.3421	0.0701	0.022*
H2B	0.4287	0.306	−0.0684	0.022*
H2C	0.4219	0.2681	0.0891	0.022*
C7	0.67497 (10)	0.60303 (9)	0.36441 (13)	0.0192 (3)
C8	0.77747 (11)	0.64776 (10)	0.40959 (17)	0.0290 (3)
H8	0.7869	0.7148	0.3819	0.035*
C9	0.86393 (11)	0.59533 (11)	0.49331 (19)	0.0338 (3)
H9	0.9302	0.6274	0.5215	0.041*
C10	0.85282 (11)	0.49477 (11)	0.53593 (17)	0.0302 (3)
H10	0.9106	0.4599	0.595	0.036*
C11	0.75500 (10)	0.44784 (10)	0.48917 (14)	0.0227 (3)
H11	0.7478	0.3803	0.5162	0.027*
C12	0.66564 (10)	0.49853 (9)	0.40198 (13)	0.0183 (3)
C13	0.56553 (10)	0.43867 (9)	0.35241 (13)	0.0186 (3)
C14	0.37497 (10)	0.44126 (9)	0.22499 (14)	0.0201 (3)
H14A	0.3182	0.4889	0.2346	0.024*
H14B	0.3681	0.3839	0.2933	0.024*
C15	0.36081 (10)	0.40533 (9)	0.05392 (14)	0.0202 (3)
H15A	0.2875	0.382	0.0195	0.024*
H15B	0.3726	0.4617	−0.0135	0.024*
O1	0.65559 (7)	0.32899 (7)	−0.02109 (12)	0.0300 (2)

H1	0.6334	0.2758	−0.0644	0.045*
C1	0.76300 (10)	0.33979 (9)	−0.02608 (15)	0.0212 (3)
C2	0.82529 (11)	0.39958 (10)	0.08869 (16)	0.0272 (3)
H2	0.7942	0.4332	0.1645	0.033*
C3	0.93442 (12)	0.40858 (11)	0.08896 (19)	0.0368 (4)
H3	0.9769	0.4482	0.1659	0.044*
C4	0.98085 (12)	0.35932 (12)	−0.0238 (2)	0.0418 (4)
H4	1.0544	0.3648	−0.0217	0.05*
C5	0.91760 (12)	0.30184 (11)	−0.1397 (2)	0.0374 (4)
H5	0.9485	0.2695	−0.2168	0.045*
C6	0.80857 (11)	0.29210 (10)	−0.14187 (16)	0.0265 (3)
H6	0.766	0.2538	−0.2206	0.032*

Atomic displacement parameters (Å²)

	U^{11}	U^{22}	U^{33}	U^{12}	U^{13}	U^{23}
O2	0.0266 (5)	0.0161 (4)	0.0188 (4)	0.0027 (3)	0.0023 (3)	0.0004 (3)
O3	0.0273 (5)	0.0163 (4)	0.0321 (5)	0.0016 (4)	−0.0003 (4)	0.0016 (4)
N1	0.0217 (5)	0.0143 (5)	0.0213 (5)	0.0006 (4)	0.0008 (4)	−0.0005 (4)
N2	0.0217 (5)	0.0175 (5)	0.0163 (5)	−0.0020 (4)	0.0026 (4)	−0.0013 (4)
C7	0.0242 (6)	0.0188 (6)	0.0148 (5)	0.0032 (5)	0.0042 (4)	−0.0022 (4)
C8	0.0284 (7)	0.0205 (7)	0.0378 (8)	−0.0028 (5)	0.0052 (6)	−0.0014 (5)
C9	0.0219 (7)	0.0310 (8)	0.0462 (9)	−0.0034 (6)	−0.0001 (6)	−0.0067 (6)
C10	0.0250 (7)	0.0284 (7)	0.0332 (7)	0.0060 (6)	−0.0050 (5)	−0.0052 (6)
C11	0.0274 (7)	0.0189 (6)	0.0203 (6)	0.0038 (5)	0.0009 (5)	−0.0030 (5)
C12	0.0222 (6)	0.0177 (6)	0.0150 (5)	0.0014 (5)	0.0030 (4)	−0.0028 (4)
C13	0.0240 (6)	0.0168 (6)	0.0147 (5)	0.0023 (5)	0.0029 (4)	−0.0021 (4)
C14	0.0201 (6)	0.0192 (6)	0.0209 (6)	0.0014 (5)	0.0033 (5)	−0.0013 (5)
C15	0.0211 (6)	0.0177 (6)	0.0203 (6)	0.0018 (5)	0.0004 (4)	0.0015 (5)
O1	0.0244 (5)	0.0233 (5)	0.0436 (6)	−0.0046 (4)	0.0096 (4)	−0.0114 (4)
C1	0.0237 (6)	0.0157 (6)	0.0240 (6)	−0.0004 (5)	0.0033 (5)	0.0034 (5)
C2	0.0358 (8)	0.0214 (6)	0.0235 (6)	−0.0041 (6)	0.0030 (5)	0.0011 (5)
C3	0.0340 (8)	0.0288 (8)	0.0420 (8)	−0.0099 (6)	−0.0076 (6)	0.0050 (6)
C4	0.0240 (7)	0.0311 (8)	0.0709 (11)	−0.0010 (6)	0.0101 (7)	0.0105 (8)
C5	0.0388 (8)	0.0247 (7)	0.0543 (10)	0.0025 (6)	0.0232 (7)	0.0029 (7)
C6	0.0338 (7)	0.0192 (6)	0.0272 (7)	−0.0009 (5)	0.0074 (5)	−0.0004 (5)

Geometric parameters (Å, º)

O2—C7	1.3239 (15)	C12—C13	1.4868 (17)
O3—C13	1.2505 (15)	C14—C15	1.5158 (16)
N1—C13	1.3408 (16)	C14—H14A	0.97
N1—C14	1.4537 (15)	C14—H14B	0.97
N1—H1N	0.86	C15—H15A	0.97
N2—C15	1.4874 (16)	C15—H15B	0.97
N2—H2A	0.8899	O1—C1	1.3747 (15)
N2—H2B	0.8897	O1—H1	0.8195
N2—H2C	0.8904	C1—C6	1.3852 (18)
C7—C8	1.4123 (18)	C1—C2	1.3862 (18)
C7—C12	1.4276 (17)	C2—C3	1.385 (2)

C8—C9	1.378 (2)	C2—H2	0.93
C8—H8	0.93	C3—C4	1.381 (2)
C9—C10	1.392 (2)	C3—H3	0.93
C9—H9	0.93	C4—C5	1.380 (2)
C10—C11	1.3758 (19)	C4—H4	0.93
C10—H10	0.93	C5—C6	1.382 (2)
C11—C12	1.4037 (17)	C5—H5	0.93
C11—H11	0.93	C6—H6	0.93
C13—N1—C14	122.89 (10)	N1—C14—H14A	109.1
C13—N1—H1N	118.6	C15—C14—H14A	109.1
C14—N1—H1N	118.5	N1—C14—H14B	109.1
C15—N2—H2A	109.5	C15—C14—H14B	109.1
C15—N2—H2B	109.4	H14A—C14—H14B	107.9
H2A—N2—H2B	109.5	N2—C15—C14	112.16 (10)
C15—N2—H2C	109.5	N2—C15—H15A	109.2
H2A—N2—H2C	109.5	C14—C15—H15A	109.2
H2B—N2—H2C	109.4	N2—C15—H15B	109.2
O2—C7—C8	119.86 (11)	C14—C15—H15B	109.2
O2—C7—C12	123.18 (11)	H15A—C15—H15B	107.9
C8—C7—C12	116.95 (11)	C1—O1—H1	109.5
C9—C8—C7	122.14 (13)	O1—C1—C6	121.26 (12)
C9—C8—H8	118.9	O1—C1—C2	118.24 (12)
C7—C8—H8	118.9	C6—C1—C2	120.50 (12)
C8—C9—C10	120.46 (13)	C3—C2—C1	119.09 (13)
C8—C9—H9	119.8	C3—C2—H2	120.5
C10—C9—H9	119.8	C1—C2—H2	120.5
C11—C10—C9	118.90 (13)	C4—C3—C2	120.70 (14)
C11—C10—H10	120.5	C4—C3—H3	119.6
C9—C10—H10	120.5	C2—C3—H3	119.6
C10—C11—C12	122.14 (12)	C5—C4—C3	119.69 (14)
C10—C11—H11	118.9	C5—C4—H4	120.2
C12—C11—H11	118.9	C3—C4—H4	120.2
C11—C12—C7	119.27 (11)	C4—C5—C6	120.38 (14)
C11—C12—C13	117.22 (11)	C4—C5—H5	119.8
C7—C12—C13	123.50 (11)	C6—C5—H5	119.8
O3—C13—N1	120.72 (11)	C5—C6—C1	119.60 (13)
O3—C13—C12	122.58 (11)	C5—C6—H6	120.2
N1—C13—C12	116.68 (11)	C1—C6—H6	120.2
N1—C14—C15	112.41 (10)		
O2—C7—C8—C9	176.44 (12)	C7—C12—C13—O3	173.39 (11)
C12—C7—C8—C9	−3.24 (19)	C11—C12—C13—N1	175.56 (10)
C7—C8—C9—C10	0.3 (2)	C7—C12—C13—N1	−4.97 (16)
C8—C9—C10—C11	1.8 (2)	C13—N1—C14—C15	−92.17 (13)
C9—C10—C11—C12	−1.0 (2)	N1—C14—C15—N2	66.25 (13)
C10—C11—C12—C7	−2.00 (18)	O1—C1—C2—C3	177.79 (12)
C10—C11—C12—C13	177.50 (11)	C6—C1—C2—C3	−1.91 (19)
O2—C7—C12—C11	−175.68 (11)	C1—C2—C3—C4	0.4 (2)

C8—C7—C12—C11	3.98 (16)	C2—C3—C4—C5	1.1 (2)
O2—C7—C12—C13	4.86 (17)	C3—C4—C5—C6	−1.0 (2)
C8—C7—C12—C13	−175.47 (11)	C4—C5—C6—C1	−0.5 (2)
C14—N1—C13—O3	2.23 (17)	O1—C1—C6—C5	−177.71 (12)
C14—N1—C13—C12	−179.37 (10)	C2—C1—C6—C5	1.98 (19)
C11—C12—C13—O3	−6.08 (17)		

Hydrogen-bond geometry (Å, º)

D—H···A	D—H	H···A	D···A	D—H···A
O1—H1···O3[i]	0.82	1.87	2.6696 (13)	166
N1—H1N···O2	0.86	1.93	2.6490 (13)	140
N2—H2A···O1	0.89	2.21	2.8995 (14)	134
N2—H2A···O3	0.89	2.56	3.0547 (13)	116
N2—H2B···O2[ii]	0.89	1.93	2.7506 (13)	152
N2—H2C···O2[iii]	0.89	1.81	2.6939 (13)	174

Symmetry codes: (i) x, $−y+1/2$, $z−1/2$; (ii) $−x+1$, $−y+1$, $−z$; (iii) $−x+1$, $y−1/2$, $−z+1/2$.